

## SOLD Swift Challenger 645 SE (2013)














Overview £17,995

Swift Challenger 645 SE (2013)









## The Swift Challenger SE

- European Whole Vehicle Type Approval ensures compliance with strict weight, dimensions and safety regulations
- EN1645 Grade 3 classification for heating and thermal insulation
- 1.95m (6'5") headroom
- One-piece, 5000 Series marine grade aluminium sidewalls
- Higher tyre rating a minimum of 150kg extra load margin at 130kph (law permitting)
- Shock absorbers for a smoother towing experience
- Step-on Hitch cover for easy cleaning of front windows
- Gas regulator fitted with stainless steel braided hose for improved reliability
- High security entrance lock for peace of mind
- Aerial point in battery box for portable satellite dish connection
- Two TV stations with 230V. 12V and aerial sockets
- Bed make-up system with slats retained on track
- Seat bases with spaceframe construction, full front access and space for larger items
- Areas under beds and seats warmed by Alde radiator system
- Front chest of drawers with convenient slide-out extending top
- Large dining table (960mm x 600mm) for full-size place settings
- Positive overhead locker catches for secure storage on the move
- Dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition
- Ventilated microwave oven with digital controls built at an easily accessible level
- High flow rate in-board pump with chrome finish brass taps for reliable, high performance water supply
- Separate shower mixers with adjustable head positions
- High impact, scratch resistant floor lino
- Large capacity (15 litre) waste bin on lower door
- Solar panel connection (20 Watt Solar panel as standard in SE range) Panoramic front sunroof



- Thatcham approved tracker fitted as standard
- Exterior
  - Exterior profile with Aerodynamic front in closed-mould GRP with wide front door
  - Full height moulded rear panel
  - Fully bonded roof for extra strength and flatness
  - Semi-recessed body colour awning rail both sides
  - Panoramic front sunroof
  - ∘ 2.25m (7' 4½") overall width for a more spacious interior
  - 25mm 'sandwich' side walls with HD polystyrene insulation core
  - o 32mm 'sandwich' roof with HD polystyrene core
  - o 44mm 'sandwich' floor with high rigidity Styrofoam core
  - Wheel arches insulated with high density foam to prevent cold spots in storage areas
  - o 'Challenger' exclusive design alloy wheels
  - o Heavy duty corner steadies all round, lockable at rear
  - BBQ point
  - Exterior two part door with interior moulded liner window and blind (45mm (2") wider and 50mm (3") taller than standard size
  - External access door under front nearside seat
  - Large external access door under fixed beds
  - Exterior access battery box and mains electric inlet (battery not included)
  - AL-KO galvanised steel chassis with Euro-Axle
  - 44mm 'sandwich' floor with pre-treated plywood and Styrofoam insulation core
  - AL-KO Euro overrun device with two-way assisted handbrake
  - o 13-pin 'Jaeger' 12V car connector
  - Spare wheel (steel) and underslung carrier
  - LED awning light with key fob control
  - Entrance step
  - o Door flyscreen with easy concertina action
  - Interior
    - 'Mali Acacia' woodgrain with rich colour and defined woodgrain texture with new complementary fabrics



- Overhead lockers with injection-moulded spaceframe construction and re-styled furniture doors with cream infill and chrome effect handles
- Granite effect kitchen sink with larger integrated drainer and removable extension drainer
- Additional lift up sink extension (not 530 & 625)
- Heki 2 Deluxe large tilting panoramic roof window with flynet and pleated blind
- Multi-position 'Mini-Heki' or 'Midi- Heki' clear roof light with flyscreen and blind in kitchens, bedrooms and washrooms
- Pleated blinds and fly nets to all windows
- Removable wear resistant harewood quality carpet
- 'Ultra Comfort' luxury deep sprung bed mattress
- Lined washroom cubicle
- Fixed beds with steel frames to maximise strength and storage space
- Hinged seat and bed tops for easy access
- Access flaps in fixed bed surrounds and day seat ends
- Mattresses and seat cushions supported by beech slats for extra comfort
- Seat and backrest ventilation boards
- Two scatter cushions
- Twin curtain track for improved hanging and ease of use
- Luxury curtains with double width fabric on all windows
- Food grade nylon chopping board with dedicated storage
- Slide-out storage rack
- Second moulded cutlery drawer on smooth steel runner above fridge
- 32mm thick lightweight washroom door with metal domestic style handle
- Washroom hanging rail
- Fabric blinds to washroom window
- Equipment
  - ALDE radiator central heating and water



heating with daily programming with LCD touch screen control and choice of 1KW, 2KW or **new** 3KW setting

- ALDE towel radiator in washroom
- 20 Watt Solar panel as standard
- Low energy lighting system throughout with ambient over-locker lights, LED task lights and low level night lights
- LED back-lit acrylic sink splash back and kitchen under worktop lighting
- LED backlights in washroom mirrors
- LED down lighters set in plinth over kitchen locker
- Light in wardrobe
- Six 230V sockets including two in compact front shelf pod 30 litre internal fresh water tank with additional external pump for filling or direct feed to taps
- External 230V mains socket
- User friendly 12V control panel with battery selection, battery state meter, lighting, water tank level and water pump circuit controls set in decorative housing
- 8-Series Dometic 110 litre, electronic ignition fridge with removable freezer compartment, black effect finish and digital controls
- Thermostatic oven and separate grill
- Glass hob lid with safety cut-out feature
- Omnivent three speed, two way roof fan
- Thetford C260 toilet with 18 litre wheeled holding tank
- Inboard semi-rigid fresh water pipes Isolation taps for gas appliances
- Large bore underslung rigid waste pipes
- 25 Amp switchmode charger/transformer
- Status 530 directional Digital/Analogue TV/FM aerial and booster
- Radio/CD/MP3 player with iPod/MP3 player connection
- 25 metre mains hook-up cable



## Safety and Security

- AL-KO ATC trailer stability control fitted as standard
- o AKS 3004 Stabiliser
- Receiver for optional AL-KO
  Secure wheel lock
- Smoke alarm
- CRiS identity number etched to windows and caravan chassis
- Concealed security data chip within caravan construction
- High security entrance lock
- o Carbon monoxide detector
- Passive infra-red alarm system with tilt sensor and key fob operation
- Thatcham approved tracker fitted as standard

All photographs are library images



## **Specifications**

Make Swift

Model Challenger 645 SE

Internal Length 6.27m / 20'7"

External Length 7.93m / 26'0"

Width 2.25m / 7'5"

Unladen Weight 1585kg

MTPLM 1745kg

Awning Size 1064cm

Warranty Transferable